reply to Office Action mailed May 20, 2011

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-33 canceled.

(Previously presented) A method of treating a human or animal body comprising:
 identifying a body wound area of one of a skin flap and skin graft; and

applying shock waves from a shock wave applicator to the wound area with from 200 to 5000 impulses at an energy flux density of from 0.05 mJ/mm² to 0.3 mJ/mm².

- (Currently Amended) The method of claim 33 34 further comprising applying shock waves with at least 500 from 500 to 3500 impulses.
- 36. (Previously presented) The method of claim 34 further comprising applying shock waves with from 500 to 3500 impulses at an energy flux density of from 0.1 m.l/mm² to 0.2 m.l/mm²
- 37. (Previously presented) The method of claim 35 wherein the shock waves include focused shock waves
- 38. (Currently Amended) The method of claim 33 34 wherein the shock waves include unfocused shock waves.
- 39. (Currently Amended) The method of claim 33 34 wherein the shock waves include focused shock waves.
- 40. (Previously presented) The method of claim 36 further comprising applying shock waves to a wound area of more than 5 cm².

- 41. (Previously presented) The method of claim 36 further comprising applying shock waves to a wound area of more than 10 cm².
- 42. (Currently Amended) The method of claim 33 34 further comprising applying shock waves to a wound area of more than 10 cm².
- 43. (Currently Amended) The method of claim 33 34 further comprising applying shock waves to a wound area of more than 5 cm².
- 44. (Previously presented) The method of claim 35 further comprising applying shock waves to a wound area of more than 10 cm².
- 45. (Previously presented) The method of claim 38 further comprising applying shock wayes to a wound area of more than 5 cm²
- 46. (Previously presented) The method of claim 38 further comprising applying shock waves to a wound area of more than 10 cm².
- 47. (Currently Amended) A method of treating a human or animal body comprising applying [[a]] from 350 to 5000 shock waves at a n energy flux density of from 0.05 mJ/mm² to 0.3 mJ/mm² to a wound area of one of a skin flap and skin graft of at least 5 cm² in-sufficient number and energy to inhibit growth of a necrotic zone area in the wound area.
- 48. (Currently Amended) The method of claim 46 47 further comprising applying a plurality of focused shock waves to the wound area with a shock wave applicator.
- (Currently Amended) The method of claim 46 47 further comprising applying a
 plurality of unfocused shock waves to the wound area with a shock wave applicator.
- 50. (Currently Amended) The method of claim 46 47 comprising applying shock waves to the wound area with a shock wave applicator with from 200 500 to 3500 5000 impulses at an energy flux density of from 0.05 mJ/mm² to 0.3 mJ/mm².

- 51. (Previously presented) The method of claim 49 comprising applying shock waves to the wound area with a shock wave applicator with from 500 to 3500 impulses at an energy flux density of from 0.1 mJ/mm² to 0.2 mJ/mm².
- 52. (Currently Amended) The method of claim 50 further comprising applying at least-from 500 to 3500 focused shock waves to the wound area having an energy flux density of from 0.1 mJ/mm² to 0.2 mJ/mm² to the wound area.
- 53. (Currently Amended) The method of claim 51 further comprising applying said at least 500 shock waves to more than [[5]] 10 cm² of the wound area.
- 54. (Currently Amended) The method of claim 52 further comprising applying said at least 500 shock waves to more than 10 cm² of the wound area.
- 55. (Currently Amended) The method of claim <u>47</u> [[49]] further comprising applying shock waves to more than [[5]] **10** cm² of the wound area.
- (Previously presented) The method of claim 49 further comprising applying shock waves to more than 10 cm² of the wound area.